

# Enabling the IBM WebSphere service monitor

The Uptime Infrastructure Monitor WebSphere performance servlet uses WebSphere's Performance Monitor Interface (PMI) infrastructure to retrieve performance information from a WebSphere web application server, which it then saves to an XML file.

PMI is, by default, enabled on the WebSphere server and set to collect the performance metrics used by Uptime Infrastructure Monitor. However, before Uptime Infrastructure Monitor can start collecting information from a WebSphere server, the performance servlet must be deployed in the WebSphere directory that contains your web application.

## Per EJB

The following metrics are collected per Enterprise JavaBean (EJB) on a WebSphere server:

Metric	Explanation	Module
CreateCount	The number of times that the Enterprise JavaBeans that are running on the server were created.	beanModule.create
RemoveCount	The number of times that the EJBs were removed.	beanModule.remove
PassivateCount	The number of times that EJBs were removed from the cache. Note that passivation preserves the state of the EJBs on the disk.	beanModule.passivates
MethodCallCount	The total number of method calls that were made to the EJBs.	beanModule.activates
MethodResponse Time	The average response time, in milliseconds, on the bean methods.	beanModule.avgMethodRt

## Per Connection Pool

The following metrics are collected per connection pool on a WebSphere server:

Connection PoolSize	The size of the connection pool to the data source.	connectionPoolModule.poolSize
FreePoolSize	The number of free connections in the pool.	connectionPoolModule.freePoolSize
PercentUsed	The percentage of the connection pool that is currently in use.	connectionPoolModule.percentUsed
WaitTime	The average time, in milliseconds, that a connection is used. The average time is the difference between the time at which the connection is allocated and the time at which it is returned.	connectionPoolModule.avgWaitTime
CloseCount	The total number of connections that were closed.	connectionPoolModule.numDestroys
Connection PoolCount	The total number of connections that were created.	connectionPoolModule.numDestroys
WaitingThreadCount	The number of threads that are currently waiting for a connection.	
UseTime	The average time, in milliseconds, that a connection is used. The average use time is the difference between the time at which the connection is allocated and that time at which it is returned.	Module.useTime

## Other

The following metrics are collected from the WebSphere system, the Java Virtual Machine, the thread pool, or servlets:

CPUUsage	The percent of CPU resources that were used since the last query.	systemModule.avgCpuUtilization
HeapSize	The total amount of memory that is available for the Java Virtual Machine (JVM).	jvmRuntimeModule.totalMemory
UsedMemory	The amount of memory that is being used by the JVM.	jvmRuntimeModule.usedMemory
ActiveCount	The number of threads which are concurrently active.	threadPoolModule.activeThreads

CommittedCount	The total number of global transactions that have been committed.	transactionModule. globalTransCommitted
RolledBackCount	The total number of global transactions that have been rolled back.	transactionModule. globalTransRolledBack
LiveCount	The number of servlet sessions that are currently cached in memory.	servletSessionsModule. liveSessions
TimeSinceLastActivated	The difference, in milliseconds, between the previous and current access time stamps of a servlet session. This counter does not include session time out values.	servletSessionsModule. timeSinceLastActivated
ServletPoolSize	The average number of threads in the servlet connection thread pool.	

To deploy the performance servlet:

1. On the WebSphere server, locate the following file:

```
[install_root]/perfServletApp.ear
```

Where: [install\_root] is the directory under which WebSphere is installed.

2. Copy the perfServletApp.ear file to the directory in which your web application is installed. For example:

```
[install_root]/installedApps/  
[cell_name]/DefaultApplication.ear/DefaultApplication.war/WEB-INF/classes
```

Where:

[install\_root] is the directory under which WebSphere is installed.

[cell\_name] is the name of the WebSphere node under which your Web application is installed.

The above steps must be completed for each web application server to be monitored by Uptime Infrastructure Monitor.

If you are using WebSphere Application Server version 6, you will need to change two settings in the WebSphere management console to avoid an Access Denied error when Uptime Infrastructure Monitor attempts to connect to the servlet to collect metrics:

1. In the WebSphere management console, modify the following settings:
  - Under Security - Secure administration, applications, and infrastructure: turn Application Security on.
  - Under Enterprise Applications - perfServletApp - Security role to user / group mapping: turn Everyone off.
2. Restart the server. Uptime Infrastructure Monitor should now be able to connect to the servlet and gather performance metrics.