


Tour the Interface

Now that you have set up some sample Elements, in the coming modules, you will be performing some common up.time tasks using these Elements. However, before continuing, let's have a quick tour of the up.time UI from an administrator's perspective. Specifically, we will take a look at the main panels, whose respective contents center around a particular function

My Infrastructure



We are already familiar with **My Infrastructure**, where you manage your Elements by performing actions such as the following:

- organize Elements into *Element Groups* to facilitate various administrator activities (for example, in one action, you can flag 30 systems as "in maintenance" to prevent alerts from being generated)
- organize Elements into *Views* that ensure different up.time users can see the systems they are responsible for (for example, a *View* consisting of all Linux systems can be viewed by any user in the Linux administration user group; this *View* could have child *Views* that further refine the Linux systems by function, and can be viewed by more specialized Linux user groups)
- add Elements to your monitored inventory either manually, or using auto discovery (as you did in the previous module)


As the administrator, this panel is your management center for Elements. There is a complementary panel for the service monitors that are attached to to these systems, and perform the actual monitoring, data gathering, and alerting.

Services

up.time uses a diverse library of service monitors. Service monitors perform various roles:

- collect data from monitored Elements for graphing and reporting
- compare incoming data with configured alert thresholds
- connect to an up.time agent to perform system-level tasks after an alert

A service monitor can be linked to an Element either directly, by manually attaching the former to the latter, or indirectly, by linking higher-level up.time objects such as Element Groups (which you first saw when you added a VMware vCenter Server as an Element in the previous modules) and *Service Groups* (which are groups of service monitors).




It is on this **Services** panel that you can create and manage any of the out-of-the-box service monitors, as well as search for additional plugin monitors found at [uptime software's Grid](#). You can also configure other up.time objects that allow you to manage monitoring-related activities:

- bundle a stack of service monitors into a Service Group that can be collectively assigned to Elements
- configure different types of *Alert Profiles* and *Action Profiles* that run when service monitors raise alerts
- indicate hierarchies using *Topological Dependencies*, to prevent a service monitor on a dependent Element from sending alerts when a parent Element's service monitor is already doing so
- avoid false positives by defining *Maintenance Profiles* to indicate when service monitors shouldn't watch Elements for status changes, and *Monitoring Periods* for when they should


You will work a bit with service monitors, as well as Service Groups, in the next module.

Config



The **Config** panel is where administrators configure the Monitoring Station. For example, in the previous module, you created global Element settings on this panel to define common configurations to communicate with the up.time agent, your WMI implementation, and SNMP network devices. Similarly, you would define how the Monitoring Station connects other platforms and applications, such as the mail server that sends alerts to users; or whether up.time uses your organization's LDAP server to authenticate users; or whether another up.time instance that offloads report generation tasks exists. It is also here that you manage the Monitoring Station's internal configuration (for example, which types of collected data are archived, or the number of Java threads are allocated to service monitors).

Users



User access in up.time results from the properties of three overlapping constructs: user profiles, user roles, and user groups. It's on this **Users** panel that you can manage all of these to ensure all up.time users are able to see the appropriate parts of the monitored infrastructure, and perform the appropriate types of actions.

You will work a bit with users and user groups in the fourth module.

Reports, My Portal, Dashboards

The contents of these panels are primarily for up.time's end users

The **Reports** panel is where users can draw on metrics stored in the up.time database to generate reports in real-time, or configure reports for scheduled generation and delivery to specific users and user groups (for example, weekly summary reports for managers).

Dashboard
My Portal
My Infrastructure
Services
Users
Reports
Config
Search up.time...
admin
SysList
Help

Performance and Analysis

- Resource Usage
- Resource Hot Spot
- Multi-System CPU
- CPU Utilization Summary
- CPU Utilization Ratio
- Wait I/O
- Inventory Report
- Service Monitor Metrics

Capacity Planning

- Enterprise CPU Utilization
- File System Capacity Growth
- Server Virtualization
- Solaris Mutex Exception
- Network Bandwidth
- Disk I/O Bandwidth
- CPU Run Queue Threshold
- File System Service Time

Service Level Agreements

- SLA Summary
- SLA Detailed

Availability

- Server Uptime
- Application Availability
- Incident Priority
- Service Monitor Availability
- Service Monitor Outages

Applications

- WebSphere
- WebLogic

VMware vSphere

- VM Workload
- VM Sprawl
- VM Workload (legacy)
- VM Density (legacy)

pSeries

- LPAR Workload

Report Logs

- Report Log
- Published Reports

Resource Usage

☒ Specific Date and Time
Date Range: YYYY-MM-DD HH:MM:SS

Last
From: 2014-01-20 00:00:00 24

Quick Date
To: 2014-01-20 23:59:59 24

Report Options (Select All Options)

☒ Resource Utilization
☐ Network I/O
☐ Free Memory
☐ File System Capacity
☐ Workload (Top 10 - RSS)

☒ CPU Performance Graph
☐ Network Errors
☐ Page Scanning Stats
☐ Workload (Top 10 - CPU)

☐ Multi-CPU
☐ TCP Retransmits
☐ Disk Statistics
☐ Workload (Top 10 - Memsize)

☒ Group report options by system

List of Groups (Select All Groups, Include Subgroups)

☐ Discovered Hosts
☐ Discovered Virtual Machines
☐ My Infrastructure

List of Views (Select All Views)

There are currently no views applicable for this report.

List of Elements (Select All Elements)

☐ Cleaner (10.1.52.23)
☐ vmh-rd11.rd.local
☐ vmh-rd14.rd.local

☐ March (10.1.52.13)
☐ vmh-rd12.rd.local
☐ vmh-rd15.rd.local

☐ vmh-rd10.rd.local
☐ vmh-rd13.rd.local
☐ win-kan (localhost)

Generate Now

Email

Print to Screen

PDF to Screen

XML to Screen

☒ User:
☐ Group:
☐ Distribution List:
☐ Email Address:

Administrator, up.time (admin)

Save Report

Save to My Portal As:
Description:

☒ HTML
☐ PDF
☐ XML
☐ Email
☐ Publish Report

☐ Scheduled Report (Run at 14:02)

☒ Daily
☐ Weekly
☐ Monthly
☐ Separate Report Per Element

☐ Every 1 day(s)
☐ Every Weekday

Save Report

You will generate a couple of reports in the fifth module of this guide.


The **My Portal** panel is an ideal landing page for users, as it aggregates up.time alerts and scheduled reports meant specifically for that logged-in user.

For most users, the **Dashboards** panel is the heart of up.time. *Dashboards* are templates on which collections of UI *gadgets* are arranged. These gadgets display historical or real-time data and render it in an interactive manner (for example, click-through for root-cause analysis).

up.time comes with a host of core dashboards. The following dashboard examples include the modest number of Elements you added to your monitored infrastructure in the previous module.

Network Dashboard

This **Network** dashboard summarizes the performance of monitored network devices. As you can see, we have but the single network device we added in the previous module:



Helpful end-user content with dashboards and reports depends on well-organized Elements, service monitors, and users (and more) behind the scenes. In the next module we'll focus on the **My Infrastructure** and **Services** panels, and learn more about organizing your monitored inventory.

Pro Tip

Dashboards are meant to be customized. Additional gadgets are always being added to [uptime software's Grid](#).